

## STORZ COUPLINGS Accessories

Suction strainers with non-return valve and discharge facility.

Size	Standard	Claws	Art. Code	Material
45	52-C	66	ST52STRAIN45AL	Alu
65	75-B	89	ST75STRAIN65AL	Alu
100	110-A DIN 14 362	133	ST110STRAIN100AL	Alu



Wire mesh basket galvanised with quick closing device, prevents clogging of suction strainer.

Standard	Length	Wide	Art. Code	Size
52-C	235	235	ST52MESH235	95
75-B	290	290	ST75MESH290	100
110-A	340	340	ST110MESH340	125
125	340	340	ST125MESH340	125



Spanner wrenches for Storz-couplings

Standard	Material	Art. Code	Kolom1
65 - 38	Malleable iron	STY38V65ST	
B - C	Malleable iron	STYBCST	
B - C	Galvanized steel with handle DIN 1482	STYBCSTH	
A - B - C	Malleable iron	STYABCST	
A - B - C	Galvanized steel with handle DIN 1482	STYABCSTH	
150 - 125	Malleable iron	STY125V150ST	



Circlip remover in steel

Length	Wide	Art. Code	Material
200	22	STYCLR	Steel



Mounting brackets for Storz fittings

Standard	Art. Code	Material
52-C	ST52BAL	Alu
75-B	ST75BAL	Alu
75-B / 110-A	ST110BAL	Alu
75-B	ST75BPP	Polypropylene



## Gasket for delivery couplings Nitrile rubber

Standard	Dimensions mm	Color	Art. Code	Material
52-C DIN 14302	60 - 47 - 10,5	White	ST52XDBW	Nitrile
65	75 - 60 - 10,5	White	ST65XDBW	Nitrile
75-B DIN 14303	82 - 67 - 10	White	ST75XDBW	Nitrile
100	106 - 93 - 10,5	White	ST100XDBW	Nitrile



## Gasket for delivery and suction couplings

Standard	Dimensions mm	Color	Remarks	Art. Code	Material
25-D DIN 14301	29 - 18 - 9	White		ST25XDSWN	Nitrile
32	39 - 25 - 9,5	White		ST32XDSWN	Nitrile
38	46 - 32 - 9,8	White		STX38DSWN	Nitrile
52-C DIN 14321	60 - 47 - 10	White		STX52DSWN	Nitrile
65 NENORM	75 - 60 - 10	White		STX65DSWN	Nitrile
75-B DIN 14322	82 - 67 - 10,5	White		STX75DSWN	Nitrile
90	98 - 93 - 10	White		STX90DSWN	Nitrile
100	108 - 93 - 10	White		STX100DSWN	Nitrile
110-A DIN 14323	124 - 102 - 12	White		STX110DSWN	Nitrile
25-D DIN 14301	29 - 18 - 9	Black		ST25XDSDN	Nitrile
32	39 - 25 - 9,5	Black		ST32XDSDN	Nitrile
38	46 - 32 - 9,8	Black		ST38XDSDN	Nitrile
45	51 - 38 - 9	Black		ST45XDSDN	Nitrile
52-C DIN 14321	60 - 47 - 10	Black		ST52XDSDN	Nitrile
65 NENORM	75 - 60 - 10	Black		ST65XDSDN	Nitrile
75-B DIN 14322	82 - 67 - 10,5	Black		ST75XDSDN	Nitrile
90	98 - 93 - 10	Black		ST90XDSDN	Nitrile
100	108 - 93 - 10	Black		ST100XDSDN	Nitrile
110-A DIN 14323	124 - 102 - 12	Black		ST110XDSDN	Nitrile
125	139 - 117 - 12,5	Black		ST125XDSDN	Nitrile
150	152 - 132 - 11,5	Black		ST150XDSDN	Nitrile
165	177 - 152 - 12,5	Black		ST165XDSDN	Nitrile
205	211 - 187 - 16	Black		ST205XDSDN	Nitrile
250	268,5 - 240 - 17	Black		ST250XDSDN	Nitrile
52-C DIN 14321	60 - 47 - 10	Transparant		ST52XDSS	Silicone
75-B DIN 14322	82 - 67 - 10,5	Transparant		ST75XDSS	Silicone
110-A DIN 14323	124 - 102 - 12	Transparant		ST110XDSS	Silicone
25-D DIN 14301	29 - 18 - 9	Green		ST25XDSDV	FPM
52-C DIN 14321	60 - 47 - 10	Green		ST52XDSDV	FPM
65 NENORM	75 - 60 - 10	Green		ST65XDSDV	FPM
75-B DIN 14322	82 - 67 - 10,5	Green		ST75XDSDV	FPM
100	108 - 93 - 10	Green		ST100XDSDV	FPM
110-A DIN 14323	124 - 102 - 12	Green		ST110XDSDV	FPM
25-D DIN 14301	29 - 18 - 9	Black	KTW	ST25XDSDKTW	Nitrile
52-C DIN 14321	60 - 47 - 10	Black	KTW	ST52XDSDKTW	Nitrile
75-B DIN 14322	82 - 67 - 10,5	Black	KTW	ST75XDSDKTW	Nitrile
110-A DIN 14323	124 - 102 - 12	Black	KTW	ST110XDSDKTW	Nitrile





## Flat thread gaskets in nitrile rubber

Size	Dimensions mm	Kolom1	Art. Code	Material
G 1 DIN 14306	20 - 33 - 3		20XRN	Nitrile
G 1 1/4	32 - 42 - 3		32XRN	Nitrile
G 1 1/2	41 - 48 - 3		38XRN	Nitrile
G 2 DIN 14307	47 - 60 - 3		50XRN	Nitrile
G 2 1/2 DIN 14308	66 - 76 - 3		65XRN	Nitrile
G 3	78 - 88 - 3		80XRN	Nitrile
G 4	100 - 113 - 3		100XRN	Nitrile
G 4 1/2 DIN 14309	105 - 126 - 3		110XRN	Nitrile
G 5	118 - 138 - 3		125XRN	Nitrile
G 6	152 - 164 - 4		150XRN	Nitrile

