



BV LCIE
CHINA
Number

N° 2066AS05BMH35313

ATTESTATION of conformity with European Directives

Product: PV Microinverter (Grid-tied photovoltaic Microinverter)
Reference HM-1500、HM-1200、HM-1000、HM-1500T、HM-1200T、HM-1000T、HM-800T、HM-800、HM-700、HM-700T、HM-600、HM-600T、HM-500、HM-500T、HM-250、HM-250A、HM-250T、HM-300、HM-300A、HM-300T、HM-350、HM-350A、HM-350T、HM-400、HM-400A、HM-400T、HM-450、HM-450A、HM-450T
Issued to Hoymiles Converter Technology Co., Ltd.
Address No. 18 Kangjing Road, HangZhou, Zhejiang Province
Technical characteristics See Next Page

The submitted sample of the above equipment has been tested for **CE** marking according to following European Directive and following standards:

Low Voltage Directive 2014/35/EU

Standards	Report number	Report date
EN 50549-1:2019	BMH-ESH-P200408503-1	20/04/2020
	BMH-ESH-P200408503-2	12/05/2020
	BMH-ESH-P200408503-3	19/05/2020

The referred test report(s) show that the product complies with standard(s) recognized as giving presumption of compliance with the essential requirements in the specified European Directive

This verification does not imply assessment of the production of the product
The **CE** marking may be affixed if all relevant and effective European Directives with **CE** are applicable

Shanghai (P.R. China),), May 28th, 2020.



Harvey Wang
Product Line Manager



This document shall not be reproduced, except in full, without the written approval of BV LCIE China.
Information given in this document, are related to the tested specimen of the described electrical sample.

LCIE CHINA
必维欧亚电气技术咨询服务(上海)有
限公司

Version 3/2016.02.19

Building 4, No. 518, Xin Zhuan Road,
CaoHejing Songjiang High-Tech Park,
Shanghai P.R.C (201612)

Tel: +86 21 6195 7000
Fax: +86 21 6195 7001
Email: contact@cn.bureauveritas.com

**LCIE**BV LCIE
CHINA
Number

N° 2066AS05BMH35313

Model / Type.....:	HM-1500 HM-1500T	HM-1200 HM-1200T	HM-1000 HM-1000T
Range of Peak Power MPPT Voltage.....:	36-48V d.c.	29-48V d.c.	27-48V d.c.
Max. Input voltage [V].....:	60 V d.c.		
Max. Continuous Input current [A].....:	4*11,5A d.c.		4*10,5A d.c.
Nominal Output voltage [V].....:	220/230/240V a.c. 50/60 Hz		
Max. Continuous Output AC current [A].....:	7,5	6	5
Max. Continuous Output power [VA].....:	1500	1200	1000

Model / Type.....:	HM-800 HM-800T	HM-700 HM-700T	HM-600 HM-600T	HM-500 HM-500T
Range of Peak Power MPPT Voltage.....:	34-48V d.c.	33-48V d.c.	29-48V d.c.	27-48V d.c.
Max. Input voltage [V].....:	60 V d.c.			
Max. Continuous Input current [A].....:	2*12,5 A d.c.	2*11,5 A d.c.		2*10,5 A d.c.
Nominal Output voltage [V].....:	220/230/240V a.c. 50/60 Hz			
Max. Continuous Output AC current [A].....:	4,0	3,5	3,0	2,5
Max. Continuous Output power [VA].....:	800	700	600	500

Shanghai (P.R. China),), May 28th, 2020.Harvey Wang
Product Line Manager

This document shall not be reproduced, except in full, without the written approval of BV LCIE China.
Information given in this document, are related to the tested specimen of the described electrical sample.

LCIE CHINA

必维欧亚电气技术咨询服务(上海)有
限公司Building 4, No. 518, Xin Zhuan Road,
CaoHejing Songjiang High-Tech Park,
Shanghai P.R.C (201612)

Tel: +86 21 6195 7000

Fax: +86 21 6195 7001

Email: contact@cn.bureauveritas.com

Version 3/2016.02.19



LCIE

BV LCIE
CHINA
Number

N° 2066AS05BMH35313

Model / Type.....:	HM-250 HM-250A HM-250T	HM-300 HM-300A HM-300T	HM-350 HM-350A HM-350T	HM-400 HM-400A HM-400T	HM-450 HM-450A HM-450T
Range of Peak Power MPPT Voltage.....:	27-48V d.c.	29-48V d.c.	33-48V d.c.	34-48V d.c.	
Max. Input voltage [V].....:	60 V d.c.				
Max. Continuous Input current [A].....:	10,5 A d.c.	11,5 A d.c.		12,5 A d.c.	14 A d.c.
Nominal Output voltage [V].....:	220/230/240V a.c. 50/60 Hz				
Max. Continuous Output AC current [A].....:	1,25	1,5	1,75	2	2,25
Max. Continuous Output power [VA].....:	250	300	350	400	450

Shanghai (P.R. China),), May 28th, 2020.



Harvey Wang
Product Line Manager



This document shall not be reproduced, except in full, without the written approval of BV LCIE China.
Information given in this document, are related to the tested specimen of the described electrical sample.

LCIE CHINA

必维欧亚电气技术咨询服务(上海)有
限公司

Version 3/2016.02.19

Building 4, No. 518, Xin Zhuan Road,
CaoHejing Songjiang High-Tech Park,
Shanghai P.R.C (201612)

Tel: +86 21 6195 7000
Fax: +86 21 6195 7001
Email: contact@cn.bureauveritas.com